

Código TARIC	PRODUCTO
2903999070	$\alpha,\alpha,\alpha',\alpha'$ -Tetrachloro-o-xilen (CAS RN 25641-99-0)
2905299030	Dodeca-8,10-dien-1-ol (CAS RN 33956-49-9)
2916399025	2-Methyl-3-(4-Fluorophenyl)-propionyl chloride (CAS RN 1017183-70-8)
2921420082	2-Chloro-4-nitroaniline (CAS RN 121-87-9)
2924299850	N,N'-(2,5-Dichloro-1,4-phenylene)bis[3-oxobutyramide], (CAS RN 42487-09-2)
2926909530	2-Amino-3-(3,4-dimethoxyphenyl)-2-methylpropanenitrile hydrochloride, (CAS RN 2544-13-0)
2929100055	2,5 (and 2,6)-Bis(isocyanatomethyl)bicyclo[2.2.1]heptane (CAS RN 74091-64-8)
2930909920	2-Methoxy-N-[2-nitro-5-(phenylthio)phenyl]acetamide (CAS RN 63470-85-9)
2930909950	[S-(R*,R*)]-2-Amino-1-[4-(methylthio)-phenyl]-1,3-propanediol, (CAS RN 23150-35-8)
2930909965	Pentaerythritol tetrakis(3-mercaptopropionate) (CAS RN 7575-23-7)
2931908010	Triethylborane (CAS RN 97-94-9)
2931908020	Diethylborane isopropoxide (CAS RN 74953-03-0)
2932190050	2-Methylfuran (CAS RN 534-22-5)
2933399949	2-[[[3-Methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]thio]-1H-benzimidazole, (CAS RN 103577-40-8)
2933998064	((3R)-1-((1R,2R)-2-[2-(3,4-Dimethoxyphenyl) ethoxy]cyclohexyl)pyrrolidin-3-ol.hydrochloride, (CAS RN 748810-28-8)
2934999040	2-Thiophene ethylamine (CAS RN 30433-91-1)
2934999085	N2-[1-(S)-Ethoxycarbonyl-3-phenylpropyl]-N6-trifluoroacetyl-L-lysyl-N2-carboxy anhydride (CAS RN 126586-91-2)
2935009040	Imazosulfuron (ISO), of a purity by weight of 98 % or more (CAS RN 122548-33-8)
3824909241	Solution of (chloromethyl)bis(4-fluorophenyl)methylsilane of a nominal concentration of 65 % in toluene
3824909243	Preparation, consisting of a mixture of 2,4,7,9-tetramethyldec-5-yne-4,7-diol and propan-2-ol
3901300082	Ethylene-vinyl acetate copolymer, — containing 9,8 % or more but not more than 10,8 % by weight of vinyl acetate — with a melt flow index of 2,5 g/10 min or more but no more than 3,5 g/10 min — containing not more than 15 mg/kg vinyl acetate monomer
3902909084	Blend of hydrogenated styrenic block copolymer, polyethylene wax, and tackifier resin, in the form of pellets, containing by weight: — 70 ( $\pm 5$ ) % of styrenic block copolymer, — 15 ( $\pm 5$ ) % of polyethylene wax, and — 15 ( $\pm 5$ ) % of tackifier resin with the following physical properties: — able to stretch to at least 200 % of its original length — with a hysteresis of 50 ( $\pm 10$ ) % — with a permanent deformation of no more than 20 % for use in the manufacture of napkins and napkin liners for babies # (1)
3903909050	Crystalline copolymer of styrene and p-methylstyrene: — with a melting point of 240 °C or more but not more than 260 °C, — containing 5 % or more but not more than 15 % by weight of p-methylstyrene
3907201140	Polyethylene glycol with an ethylene oxide chain length of not more than 30, having butyl-2-cyano 3-(4-hydroxyphenyl) acrylate end groups, for use as a UV barrier in liquid masterbatches# (1)

7607209020	Lubricating entry sheet of a total thickness of not more than 350 µm, comprising of: — a layer of aluminium foil of a thickness of 70 µm or more but not more than 150 µm, — a water soluble lubricant of a thickness of 20 µm or more but not more than 200 µm and solid at room temperature
8537109997	Electronic controller card for actuating and controlling of a single-phase electric AC commutator motor, with an output of 750 W or more and an input power of more than 1 600 W but not more than 2 700 W
9405403980 9405409907	Ambient light LED board to be incorporated in goods of heading 8528 (1)